



choroideremia

Choroideremia is a condition characterized by progressive vision loss that mainly affects males. The first symptom of this condition is usually an impairment of night vision (night blindness), which can occur in early childhood. A progressive narrowing of the field of vision (tunnel vision) follows, as well as a decrease in the ability to see details (visual acuity). These vision problems are due to an ongoing loss of cells (atrophy) in the specialized light-sensitive tissue that lines the back of the eye (retina) and a nearby network of blood vessels (the choroid). The vision impairment in choroideremia worsens over time, but the progression varies among affected individuals. However, all individuals with this condition will develop blindness, most commonly in late adulthood.

Frequency

The prevalence of choroideremia is estimated to be 1 in 50,000 to 100,000 people. However, it is likely that this condition is underdiagnosed because of its similarities to other eye disorders. Choroideremia is thought to account for approximately 4 percent of all blindness.

Genetic Changes

Mutations in the *CHM* gene cause choroideremia. The *CHM* gene provides instructions for producing the Rab escort protein-1 (REP-1). As an escort protein, REP-1 attaches to molecules called Rab proteins within the cell and directs them to the membranes of various cell compartments (organelles). Rab proteins are involved in the movement of proteins and organelles within cells (intracellular trafficking). Mutations in the *CHM* gene lead to an absence of REP-1 protein or the production of a REP-1 protein that cannot carry out its protein escort function. This lack of functional REP-1 prevents Rab proteins from reaching and attaching (binding) to the organelle membranes. Without the aid of Rab proteins in intracellular trafficking, cells die prematurely.

The REP-1 protein is active (expressed) throughout the body, as is a similar protein, REP-2. Research suggests that when REP-1 is absent or nonfunctional, REP-2 can perform the protein escort duties of REP-1 in many of the body's tissues. Very little REP-2 protein is present in the retina, however, so it cannot compensate for the loss of REP-1 in this tissue. Loss of REP-1 function and subsequent misplacement of Rab proteins within the cells of the retina causes the progressive vision loss characteristic of choroideremia.

Inheritance Pattern

Choroideremia is inherited in an X-linked recessive pattern. The *CHM* gene is located on the X chromosome, which is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation must be present in both copies of the gene to cause the disorder. Males are affected by X-linked recessive disorders much more frequently than females. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

In X-linked recessive inheritance, a female with one mutated copy of the gene in each cell is called a carrier. She can pass on the altered gene, but usually does not experience signs and symptoms of the disorder. Females who carry a *CHM* mutation may show small areas of cell loss within the retina that can be observed during a thorough eye examination. These changes can impair vision later in life.

Other Names for This Condition

- choroidal sclerosis
- progressive tapetochoroidal dystrophy
- TCD

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Choroideremia
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0008525/>

Other Diagnosis and Management Resources

- GeneReview: Choroideremia
<https://www.ncbi.nlm.nih.gov/books/NBK1337>
- MedlinePlus Encyclopedia: Vision - night blindness
<https://medlineplus.gov/ency/article/003039.htm>
- MedlinePlus Encyclopedia: Visual field
<https://medlineplus.gov/ency/article/003879.htm>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>

- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Vision - night blindness
<https://medlineplus.gov/ency/article/003039.htm>
- Encyclopedia: Visual field
<https://medlineplus.gov/ency/article/003879.htm>
- Health Topic: Eye Diseases
<https://medlineplus.gov/eyediseases.html>
- Health Topic: Retinal Disorders
<https://medlineplus.gov/retinaldisorders.html>
- Health Topic: Vision Impairment and Blindness
<https://medlineplus.gov/visionimpairmentandblindness.html>

Genetic and Rare Diseases Information Center

- Choroideremia
<https://rarediseases.info.nih.gov/diseases/6061/choroideremia>

Additional NIH Resources

- National Eye Institute: Diagram of the Eye
<https://nei.nih.gov/health/eyediagram/>

Educational Resources

- Disease InfoSearch: Choroideremia
<http://www.diseaseinfosearch.org/Choroideremia/1395>
- MalaCards: choroideremia
<http://www.malacards.org/card/choroideremia>
- My46 Trait Profile
<https://www.my46.org/trait-document?trait=Choroideremia&type=profile>

- Orphanet: Choroideremia
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=180
- The Choroideremia Research Foundation: What is Choroideremia?
<http://curechm.org/what-is-choroideremia/>

Patient Support and Advocacy Resources

- Choroideremia Research Foundation Canada
<http://www.choroideremia.ca/>
- Foundation Fighting Blindness
<http://www.blindness.org/eye-conditions/choroideremia>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/choroideremia/>
- The Choroideremia Research Foundation
<http://curechm.org/>

GeneReviews

- Choroideremia
<https://www.ncbi.nlm.nih.gov/books/NBK1337>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Choroideremia%22+OR+%22choroideremia%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28choroideremia%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- CHOROIDEREMIA
<http://omim.org/entry/303100>

Sources for This Summary

- Garcia-Hoyos M, Lorda-Sanchez I, Gómez-Garre P, Villaverde C, Cantalapiedra D, Bustamante A, Diego-Alvarez D, Vallespin E, Gallego-Merlo J, Trujillo MJ, Ramos C, Ayuso C. New type of mutations in three spanish families with choroideremia. *Invest Ophthalmol Vis Sci*. 2008 Apr;49(4):1315-21. doi: 10.1167/iovs.07-1169.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18385043>
- McTaggart KE, Tran M, Mah DY, Lai SW, Nesslinger NJ, MacDonald IM. Mutational analysis of patients with the diagnosis of choroideremia. *Hum Mutat*. 2002 Sep;20(3):189-96.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12203991>
- Roberts MF, Fishman GA, Roberts DK, Heckenlively JR, Weleber RG, Anderson RJ, Grover S. Retrospective, longitudinal, and cross sectional study of visual acuity impairment in choroideraemia. *Br J Ophthalmol*. 2002 Jun;86(6):658-62.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12034689>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1771148/>
- Yau RJ, Sereda CA, McTaggart KE, Sauvé Y, MacDonald IM. Choroideremia carriers maintain a normal electro-oculogram (EOG). *Doc Ophthalmol*. 2007 May;114(3):147-51. Epub 2007 Mar 1.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17333094>
- Yip SP, Cheung TS, Chu MY, Cheung SC, Leung KW, Tsang KP, Lam ST, To CH. Novel truncating mutations of the CHM gene in Chinese patients with choroideremia. *Mol Vis*. 2007 Nov 27;13:2183-93.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18087237>
- van den Hurk JA, van de Pol DJ, Wissinger B, van Driel MA, Hoefsloot LH, de Wijs IJ, van den Born LI, Heckenlively JR, Brunner HG, Zrenner E, Ropers HH, Cremers FP. Novel types of mutation in the choroideremia (CHM) gene: a full-length L1 insertion and an intronic mutation activating a cryptic exon. *Hum Genet*. 2003 Aug;113(3):268-75. Epub 2003 Jun 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12827496>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/choroideremia>

Reviewed: July 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services